

**Section 1: IDENTIFICATION** 

Product Name: Soileos® Iron

Synonyms: Mixed fertilizer.

Product Use: Fertilizer product that can be used to correct iron deficiencies

and as a source of potassium, sulfur, and iron.

Restrictions on Use: See product label for any potential restrictions on use.

Manufacturer/Supplier: Lucent BioSciences, Inc.

207-1425 Marine Dr.

West Vancouver, BC V7T 1B9

Phone Number: 1-855-SOILEOS (1-855-764-5367)
Emergency Phone: 1-855-SOILEOS (1-855-764-5367)

Date of Preparation of SDS: October 18, 2022

#### Section 2: HAZARD(S) IDENTIFICATION

#### **GHS INFORMATION**

Classification: Not hazardous according to OSHA criteria (29 CFR 1910.1200).

Not hazardous according to WHMIS 2015 criteria.

LABEL ELEMENTS

Hazard Pictogram(s): None.

Signal Word: None.

Hazard Statements: Not applicable.

Precautionary Statements

Prevention:

Response:

Not applicable.

Hazards Not Otherwise Classified:

Not applicable.

Ingredients with Unknown Toxicity: None.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is not considered hazardous by the Hazardous Products Regulations.



### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	Common name/Synonyms	CAS No.	% wt./wt.
Cellulose fiber	Not applicable.	Not available.	77
Iron	Not applicable.	7782-63-0	5
Sulphate	Not applicable.	1310-58-3	3
Potassium	Not applicable.	7732-18-5	9

Actual concentration range(s) withheld as a trade secret.

### **Section 4: FIRST-AID MEASURES**

Inhalation: If inhaled: Call a poison center or doctor if you feel unwell.

**Acute and delayed symptoms and effects:** May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache,

hoarseness, and nose and throat pain.

Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Call a poison center or doctor if you

feel unwell.

Acute and delayed symptoms and effects: May cause eye irritation. Signs/symptoms

may include redness, swelling, pain, tearing, and blurred or hazy vision.

Skin Contact: If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell.

**Acute and delayed symptoms and effects:** May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion: If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs

naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth

to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/

symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. Ingestion of large quantities of Ferrous sulfate can produce GI tract disturbances, severe shock, vomiting, liver damage, tachycardia and death. Smaller doses are much more toxic to children. Pink urine discoloration is a strong indicator of

iron poisoning.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or SDS where possible).

Note to Physicians: Symptoms may not appear immediately. Perform endoscopy in all cases of suspected

Potassium hydroxide ingestion. In cases of severe esophageal corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake

are also required.



### **Section 5: FIRE-FIGHTING MEASURES**

### FLAMMABILITY AND EXPLOSION INFORMATION

Not readily combustible solid, as per UN Test N.1., Paragraph 33.2.1.4.3.

Sensitivity to Mechanical Impact: This material is not sensitive to mechanical impact.

Sensitivity to Static Discharge: This material is not sensitive to static discharge.

MEANS OF EXTINCTION

Suitable Extinguishing Media: Small Fire: Dry chemical, CO2, water spray or regular foam.

Large Fire: Water spray, fog or regular foam. Move containers from fire area

if you can do it without risk.

Unsuitable Extinguishing Media: Not available.

**Products of Combustion:** Oxides of sulphur. Oxides of iron.

Protection of Firefighters: Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control

or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited

protection.

#### **Section 6: ACCIDENTAL RELEASE MEASURES**

Emergency Procedures: Keep unauthorized personnel away. Stay upwind. Keep out of low areas.

Ventilate closed spaces before entering.

Personal Precautions: Do not touch or walk through spilled material. Use personal protection recommended

in Section 8.

Environmental Precautions: Keep out of drains, sewers, ditches, and waterways.

Methods for Containment: Do not flush to sewer or allow to enter waterways.

Methods for Clean-Up: Sweep up and shovel into suitable containers for disposal.

Other Information: See Section 13 for disposal considerations.

#### **Section 7: HANDLING AND STORAGE**

Handling: Do not swallow. Wash hands thoroughly after handling.

See Section 8 for information on Personal Protective Equipment.

Storage: Store away from incompatible materials. See Section 10 for information

on Incompatible Materials. Keep out of the reach of children.



#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

Component: Dust [CAS No. Not applicable]

ACGIH: 10 mg/m³ (TWA) (Inhalable.); 3 mg/m³ (TWA) (Respirable.);

For Particles (Insoluble or Poorly Soluble) Not Otherwise Specified **OSHA:** 15 mg/m³ (Total dust) (TWA), 5 mg/m³ (Respirable fraction) (TWA);

For Particulates Not Otherwise Regulated (PNOR).

Cellulose fiber [CAS No. Not available]

ACGIH: No TLV established. OSHA: No PEL established.

Ferrous sulfate heptahydrate [CAS No. 7782-63-0]

ACGIH: No TLV established. OSHA: No PEL established.

Potassium hydroxide [CAS No. 1310-58-3]

**ACGIH:** 2 mg/m<sup>3</sup> (C); (1992) OSHA: 2 mg/m³ (C) [Vacated];

Water [CAS No. 7732-18-5] ACGIH: No TI V established.

OSHA: No PEL established.

PEL: Permissible Exposure Limit TLV: Threshold Limit Value TWA: Time-Weighted Average C: Ceiling

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, gas,

etc.) below recommended exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)









Wear safety glasses. Indirect vented, dust-tight goggles are required if dust Eye/Face Protection:

> is generated when handling this product. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3:20 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection: Wear protective gloves. Consult manufacturer specifications for further information.

Skin and Body Protection: Wear protective clothing.

If engineering controls and ventilation are not sufficient to control exposure to **Respiratory Protection:** 

> below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-Z94.4-18, with particulate filter, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne

concentrations exceed the limits of the air-purifying respirators.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices. Consult

a competent industrial hygienist to determine hazard potential and/or the PPE

manufacturers to ensure adequate protection.



Not available.

Not available.

### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Brown granulated

solid/pellets.

Colour: Light brown

to dark brown.

Odourless.

Odour Threshold: Not available.

Physical State: Solid.

pH (10% water extract): 6.3

Melting Point/Freezing Point: Not available.

Initial Boiling Point: Not available.

Boiling Range: Not available.

Flash Point: Not available.

**Evaporation Rate:** Not available.

Flammability (solid, gas): See Section 5.

Lower Flammability Limit: Not available.

Upper Flammability Limit: Not available.

Vapor Pressure: Not available.

Vapor Density: Not available.

Relative Density: Not available.

Solubilities: Insoluble in water.

Partition Coefficient:

n-Octanol/Water:

Auto-ignition Temperature: Not available.

**Decomposition Temperature:** Not available.

Viscosity: Not available.

Percent Volatile, wt. %: Not available.

VOC content, wt. %: Not available.

Density: Not available.

Coefficient of Water/

Oil Distribution:

### **Section 10: STABILITY AND REACTIVITY**

Reactivity: Contact with incompatible materials. Exposure to heat.

Chemical Stability: Stable under normal storage conditions.

Possibility of Hazardous

Reactions:

Material is non-corrosive to steel or aluminum according to ASTM G31-72.

Conditions to Avoid: Contact with incompatible materials. Exposure to heat.

Incompatible Materials: Acids. Oxidizers.

Hazardous Decomposition Products:

Not available.



#### Section 11: TOXICOLOGICAL INFORMATION

### EFFECTS OF ACUTE EXPOSURE

**Product Toxicity** Oral: Not available.

> Dermal: Not available. Inhalation: Not available.:

LD<sub>50</sub> oral **Component Toxicity** Component CAS No. LD<sub>50</sub> dermal LC<sub>50</sub>

> Not available. Cellulose fiber Not available. Not available. Not available.

> Not available. Not available. Ferrous sulfate 7782-63-0 1520 mg/kg heptahydrate (mouse)

> Potassium 273 mg/kg (rat) Not available. Not available. 1310-58-3 hydroxide

> Not available. Water 7732-18-5 > 90 mL/kg (rat) Not available.

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Symptoms (including delayed and immediate effects)

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal

discharge, headache, hoarseness, and nose and throat pain.

Eye: May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing,

and blurred or hazy vision. Prolonged exposure of the eyes may cause discoloration.

Skin:  $May \ cause \ skin \ irritation. Signs/symptoms \ may \ include \ localized \ redness, swelling, and$ 

itching. Corrositex® (OECD 435) shows the material to be non-corrosive to skin.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain,

stomach upset, nausea, vomiting and diarrhea. Ingestion of large quantities of Ferrous

sulfate can produce GI tract disturbances, severe shock, vomiting, liver damage,

tachycardia and death. Smaller doses are much more toxic to children.

Pink urine discoloration is a strong indicator of iron poisoning.

Skin Sensitization: Not available.

Not available. Respiratory Sensitization:

Medical Conditions Aggravated

By Exposure:

Not available.



### EFFECTS OF CHRONIC EXPOSURE (FROM SHORT AND LONG-TERM EXPOSURE)

**Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system. Cardiovascular system. Liver.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation. Severe or chronic

Ferrous sulfate poisonings may damage blood vessels. Large chronic doses cause

Rickets in infants. Chronic exposure may cause liver effects.

This product does not contain any carcinogens or potential carcinogens above Carcinogenicity:

reportable thresholds as listed by ACGIH, IARC, OSHA, or NTP.

Not available. Mutagenicity: Reproductive Effects: Not available.

Developmental Effects

Teratogenicity: Not available. Embryotoxicity: Not available.

Toxicologically Synergistic

Materials:

Not available.

#### Section 12: ECOLOGICAL INFORMATION

Not available. Ecotoxicity: Not available. Persistence/Degradability: Bioaccumulation/Accumulation: Not available. Not available. Mobility in Environment: Not available. Other Adverse Effects:

### Section 13: DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and **Disposal Instructions:** 

regulations. Local regulations may be more stringent than regional or national

requirements.

#### **Section 14: TRANSPORT INFORMATION**

U.S. Department of Transportation (DOT) Canada Transportation of Dangerous Goods (TDG)

**Proper Shipping Name: Proper Shipping Name:** Not regulated. Not regulated. Class: Not applicable. Class: Not applicable. **UN Number:** Not applicable. **UN Number:** Not applicable. Packing Group: Not applicable. Packing Group: Not applicable. Placard(s): Not applicable. Placard(s): Not applicable.



### Section 15: REGULATORY INFORMATION

Chemical Inventories

US (TSCA) The components of this product are in compliance with the chemical notification

requirements of TSCA.

Canada (DSL) The components of this product are in compliance with the chemical notification

requirements of the NSN Regulations under CEPA, 1999.

Federal Regulations

**United States** This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard,

29 CFR 1910.1200.

SARA Title III

Component Section Section CERCLA Section RCRA CAA 302 (EHS) TPQ 304 EHS RQ RO Code 112(r)TQ 313 (lbs.) (lbs.) (lbs.) (lbs.) Ferrous sulfate Not listed. Not listed. Not listed. Not listed. Not listed. 1000 heptahydrate Not listed. Not listed. Not listed. Not listed. Not listed. Potassium hydroxide 1000

State Regulations

Massachusetts US Massachusetts Commonwealth's Right-to-Know Law

(Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

Component CAS No. **RTK List** Ferrous sulfate heptahydrate 7782-63-0 Listed. Potassium hydroxide 1310-58-3 Listed.

US New Jersey Worker and Community Right-to-Know Act **New Jersey** 

(New Jersey Statute Annotated Section 34:5A-5)

Component CAS No. **RTK List** Potassium hydroxide 1310-58-3 SHHS

Note: SHHS = Special Health Hazard Substance

Pennsylvania US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

> **RTK List** Component CAS No. Ferrous sulfate heptahydrate Ε 7782-63-0 F Potassium hydroxide 1310-58-3

Note: E = Environmental Hazard

California California Prop 65: This product does not contain chemicals known to the State of California

to cause cancer, birth defects or other reproductive harm.



#### **Section 16: OTHER INFORMATION**

**Disclaimer:** The information contained in this document applies to this specific material as supplied.

It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this

information for their own particular use.

Date of Preparation of SDS: October 18, 2022

Version: 1.0

GHS SDS Prepared by: Aegis Regulatory Inc.

Phone: 1 (519) 488-0351 www.aegisreg.com